

# HSR 7

## Immunization Requirements 2009-2010 School Year

### Reference Guide (effective date 8/1/09)

#### **3 year olds and 4 year olds (PRE K)**

4 doses of DTP, DTaP, DT

3 doses of Polio

1 dose of MMR on/after 1<sup>st</sup> birthday

1 dose of HIB on/after 15 months **OR** 3 doses with the 3<sup>rd</sup> dose given on/after 1<sup>st</sup> birthday, and at least 2 months since dose #2

1 dose of \*PCV7 on/or after 24 months of age **OR** 4 doses of PCV7 with one given after 1<sup>st</sup> birthday

3 doses of Hepatitis B

1 dose of Varicella on/after 1<sup>st</sup> birthday (if the child has NOT had chickenpox)

2 doses of Hepatitis A on/after 1<sup>st</sup> birthday (must allow 18 months between doses)

✓ HIB and PCV7 not routinely administered to children  $\geq 5$  years of age.

#### **Kindergarten**

5 doses of DTP, DTaP, DT with one on/after 4<sup>th</sup> birthday **OR** 4 doses if one dose is on/after the 4<sup>th</sup> birthday

4 doses of °Polio with one on/after 4<sup>th</sup> birthday **OR** 3 doses if one dose is on/after 4<sup>th</sup> birthday

2 doses of MMR on/after 1<sup>st</sup> birthday

3 doses of Hepatitis B

2 doses of Varicella on/after 1<sup>st</sup> birthday (if the child has NOT had chickenpox)

2 doses of Hepatitis A on/after 1<sup>st</sup> birthday (must allow 18 months between doses)

#### **First Grade – Sixth Grade**

5 doses of ^DTP, DTaP, DT, Td, Tdap with one on/after 4<sup>th</sup> birthday **OR** 4 doses if one dose is on/after the 4<sup>th</sup> birthday

4 doses of ^°Polio with one on/after 4<sup>th</sup> birthday **OR** 3 doses if one dose is on/after 4<sup>th</sup> birthday

2 doses of Measles, 1 dose Mumps and 1 dose Rubella on/after 1<sup>st</sup> birthday

3 doses of ☆Hepatitis B

1 dose of Varicella on/after 1<sup>st</sup> birthday (if the child has NOT had chickenpox)

✓ Ages 7 years and older, 3 doses of DTP containing vaccine.

#### **Seventh Grade**

3 doses of ^DTP, DTaP, DT, Td, Tdap with one on/after 4<sup>th</sup> birthday, one dose of Tdap is required within the last 5 years. Td is acceptable in lieu of Tdap if a contraindication to pertussis exists.

4 doses of ^°Polio with one on/after 4<sup>th</sup> birthday **OR** 3 doses if one dose is on/after 4<sup>th</sup> birthday

2 doses of Measles, 1 dose Mumps and 1 dose Rubella on/after 1<sup>st</sup> birthday

3 doses of ☆Hepatitis B

2 doses of #Varicella on/after 1<sup>st</sup> birthday (if the child has NOT had chickenpox)

1 dose of Meningococcal

#### **Eighth Grade – Twelfth Grade**

3 doses of ^DTP, DTaP, DT, Td, Tdap with one on/after 4<sup>th</sup> birthday, one dose of Tdap is required within the last 10 years. Td is acceptable in lieu of Tdap if a contraindication to pertussis exists.

4 doses of ^°Polio\* with one on/after 4<sup>th</sup> birthday **OR** 3 doses if one dose is on/after 4<sup>th</sup> birthday

2 doses of Measles, 1 dose Mumps and 1 dose Rubella on/after the 1<sup>st</sup> birthday

3 doses of ☆Hepatitis B

1 dose of #Varicella on/after 1<sup>st</sup> birthday (if the child has NOT had chickenpox)

This chart summarizes the vaccine requirements in Title 25 Health Services, §§ 97.61-97.72 of the Texas Administrative Code. This chart is not intended as a substitute for consulting the Texas Administrative code, which has other provisions and details.

[http://info.sos.state.tx.us/pls/pub/readtac\\$ext.ViewTAC?tac\\_view=5&ti=25&pt=1&ch=97&sch=B&rl=Y](http://info.sos.state.tx.us/pls/pub/readtac$ext.ViewTAC?tac_view=5&ti=25&pt=1&ch=97&sch=B&rl=Y)

All vaccine doses administered less than or equal to four days before the minimum interval of age shall be counted as valid.

\* Other schedules may apply

^ Doses of DTaP/Polio administered month of or prior to 4<sup>th</sup> birthday are acceptable for students in 6<sup>th</sup> – 12<sup>th</sup> grade (those enrolled in school prior to 8/1/04)

° Does not need a dose of Polio after the 4<sup>th</sup> birthday **IF** 4 doses of clearly documented combination IPV and OPV were given before 4 years of age.

☆ 2 doses of adult formulation Hepatitis B administered to a child 11-15 years old is acceptable if manufacturer and mL are clearly documented.

# Two doses of Varicella are required if child is  $\geq 13$  years old when 1<sup>st</sup> dose is given.

\* Polio not required for students 18 years or older